

中国认可 国际互认 检测 TESTING CNAS L6478



TEST REPORT

| Reference No. | it | WTF19F07049289C |
|------------------------|------------|---|
| Applicant | : | Mid Ocean Brands B.V. |
| | | 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong |
| Manufacturer | 1 | 111587 |
| Sample Name | 51) 51) | Nonwoven stadium cushion with a pocket |
| Model No. | 1 C | MO8272 |
| Labelled Age Grading | ÷ | I THE WALL AND ADD WITH AND ADD |
| Test Requested | : < | For compliance with the European Standard on Safety of Toys: - EN 71-2:2014 Flammability |
| Test Method | Su | Please refer to next page (s) |
| Test Conclusion | :5 | Please refer to next page (s) |
| Date of Receipt sample | : | 2019-07-19 |
| Date of Test | · · · | 2019-07-19 to 2019-07-25 |
| Date of Issue | *: | 2019-07-25 |
| Test Result | : 1 | Please refer to next page (s) |

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of reporter and reviewer.

Prepared By:

Waltek Services (Foshan) Co., Ltd. Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

Swing.Liang /Project Engineer

pproved by: Dino.Zhang /Lab Manager REPO



Test Result:

| Flammabli | | |
|-------------------|---|------------------|
| Section | Description | Result |
| _4 | REQUIREMENTS | s 1+ 1. |
| 4.1 | General | Pass See Note |
| ^{مل} 4.5 | Soft filled toys (animals and dolls, etc) with a piled or textile surface | Pass |

Note:

4.1 The following materials shall not be used in the manufacture of toys:

- Celluloid (cellulose nitrate), except when used in varnish, paint or glue, or in balls of the type used for table tennis or similar games, and materials with the same behaviour in fire as celluloid. Specific materials to which the test flame is applied in order to check compliance of the toy with requirements in 4.2 to 4.5 are considered to comply with this requirement if the toy meets its appropriate requirements in 4.2 to 4.5;

– Materials with a piled surface which produce surface flash on the approach of a flame. Piled surfaces showing no momentary area of flame over the area of the piled surface remote from the test flame are considered to meet this requirement;

- Highly flammable solids.

In addition, toys shall not contain flammable gases, highly flammable liquids, flammable liquids, flammable gels except as provided for below:

- Flammable liquids, flammable gels and preparations supplied in sealed containers having a maximum volume of 15 ml per container;

- Highly flammable liquids and flammable liquids being entirely retained within a porous material in capillary channels of writing instruments;

- Flammable liquids with a viscosity greater than 260 x 10^{-6} m²/s corresponding to a flow time of more than 38 such as determined in accordance with FN ISO 2421 using our Na

s when determined in accordance with EN ISO 2431 using cup No. 6;

- Highly flammable liquids contained in toys covered in EN 71-5.

NOTE: Different legal requirements may exist in non-EU countries.

4.5 The requirements of this clause do not apply to toys with a maximum dimension of 150 mm or less. A toy shall be tested as supplied, including any clothing present with the toy and, if considered to be more onerous, with the clothes removed if removal can be accomplished without damage to the clothes or toy.

When tested in accordance with 5.5, the rate of spread of flame on the surface shall not be more than 30 mm/s or shall self-extinguish.



Sample photo:



==== End of Report ====

Waltek Services (Foshan) Co.,Ltd. http://www.waltek.com.cn