

TEST REPORT

Report No.	:	WTF23F10216506A1C
Applicant	5	Mid Ocean Brands B.V.
Address		7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong 111903
Sample Name		Hemp toilet bag hemp 200 gr/m ²
Sample Model	÷	MO6165
Test Requested	:	Refer to next page (s)
Test Conclusion	: 10	Pass (please refer to next pages for details)
Date of Receipt sample	:	2023-10-10 & 2023-10-20
Testing period	i.	2023-10-10 to 2023-10-26
Date of Issue	der.	2023-10-27
Test Result	÷	Refer to next page (s)
Note	-5	As specified by client, only test the designated sample.

Prepared By: Waltek Testing Group (Foshan) Co., Ltd.


Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

1/11





14

Summary

Item No.	Test Requested	Test Conclusion
w HELIN	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC)	
5	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

Sample photo:



Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Toot Kom	LOQ	Results	Limit		
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5+No.6	(mg/kg)	
Lead(Pb)) 2		ND*	500	
Conclusion	INTE WITTE	Pass	Pass	et . 5 ⁴⁴ . 5	

Test Item	LOQ	Results (mg/kg)		
	(mg/kg)	No.7+No.8+No.9	No.10+No.11+No.12	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	et mile mult	Pass	Pass	et set

Test Item	LOQ	LOQ Results (mg/kg)		
	(mg/kg)	No.13	No.14	(mg/kg)
Lead(Pb)	2	2 31 ND		500
Conclusion	14	Pass	Pass	at - at

Tool Hom	LOQ	LOQ Results (mg/kg)		Limit (mg/kg)	
Test Item (mg/kg		No.15+No.16+No.17	No.18+No.19+No.20		
Lead(Pb)	2	ND*	ND*	500	
Conclusion	un main mouth	Pass	Pass	Jet - Jet	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) The test sample of specimen No.1 is received on the date of 2023-10-10.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item LOQ (mg/kg)	LOQ	Results (mg/kg)
	(mg/kg)	No.7+No.8+No.9
Cadmium(Cd)	2	ND*
Conclusion	1 - A A	Pass

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items		Results (%)	Limit	
	(%)	No.7+No.8+No.9	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	the shi so	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	sure sure sure	
Diisodecyl phthalate (DIDP)	0.01	ND*	stick antifer and the	
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	privide v 0.1	
Conclusion	and all all and	Pass	- & A S	

Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate DIBP= Diisobutyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit 🗸	Result (mg/kg)	
NO.	Amines Substances	CAS NO.	(mg/kg)	No.1+No.2+No.3	
1	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	A- 30 A	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	- 30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*0	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
-3	Conclusion			Pass	



No.	Amines Substances	CAS No.	Limit	Result (mg/kg)	
NO.	Amines Substances	CAS NO.	(mg/kg)	No.15+No.16+No.17	
1	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30 0	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30 🔊	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	<u> </u>	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
NUT	Conclusion	15-	10- 50	Pass	

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.
- The test sample of specimen No.1 is received on the date of 2023-10-10.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	Unit	Results No.7+No.8+No.9	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	until when	Pass	15 - A	الى -	

Note:

(1) ND = Not Detected or lower than limit of quantitation

- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



6) Colour Fastness to Rubbing

Colour Fastness to Rubbing					
(ISO 105-X1	2: 2016; Size of rubbing	g finger: 16mm d	iameter.)	4	t at at
and an	in my m	No.1	No.2	No.3	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	n 3 n	4	A 4 A	2-3
Width	Dry staining	. <u>A-</u> A	- Jule - Mile	me un .	2-3
	Wet staining	an - an	2/1	1 A	2-3
Conclusion		Pass	Pass	Pass	r. m m.

Colour Fastness to Rubbing						
(ISO 105-X12	2: 2016; Size of rubbing	finger: 16mm di	ameter.)	the state	Set Set	
m m	In a	No.15	No.16	No.17	Client's Limit	
Length	Dry staining	4-5	4-5	4-5	2-3	
	Wet staining	4-5	4-5	4-5	2-3	
Width	Dry staining		Will Aur 1	1 <u>, 15</u> 1	2-3	
	Wet staining	m -m	,	1 2	2-3	
Conclusion		Pass	Pass N	Pass	111 - 11	

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

(2) The test sample of specimen No.1 is received on the date of 2023-10-20.

Description for Specimen:

Specimen No.	Specimen Description		
at the the state with	Black main fabric		
2	Blue main fabric		
the state of the second	Green main fabric		
4 4 14 14	Black drawstring		
10 ¹¹ 3 ¹⁰ 5	Blue drawstring		
6	Green drawstring		
7 1 1	Black plastic zipper tooth		
and 8 million and all	Blue plastic zipper tooth		
9	Green plastic zipper tooth		
10	Black zipper fabric		
still with which share	Blue zipper fabric		

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



N CONTRO V

Report No.: WTF23F10216506A1C

Specimen No.	Specimen Description		
12	Green zipper fabric		
13	Silvery metal zipper head		
14	Silvery metal zipper handle		
15	Black lining		
16	Blue lining		
17	Green lining		
18	Black fabric rim		
19	Blue fabric rim		
20	Green fabric rim		

Photograph of parts tested:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======