

TEST REPORT

Reference No.	:	WTF20F11088917A1C
Applicant	NITE	Mid Ocean Brands B.V.
Address	: Tek	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong
Manufacturer	:	100381
Sample Name	; -:	Wicker picnic basket
Model No.	12:	MO6193, MO6194
Test Requested	unii unii unii unii unii	 Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628 Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217 Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC). As specified by client, determination of the released formaldehyde content in submitted sample As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.
Test Method	:	Please refer to next page (s)
Test Conclusion	:	Please refer to next page (s)
Date of Receipt sample	:	2020-11-23 & 2020-12-02
Date of Test		2020-11-23 to 2020-12-08
Date of Issue	: /	2020-12-09
Test Result	:	Please refer to next page (s)
Note	(et	As specified by client, only test the designated sample.

Remarks:

The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society. **Prepared By:**

Waltek Testing Group (Foshan) Co., Ltd. Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

Rena.Chen / Project Engineer Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn Approved by:

Swing.Liang / Technical Manager

Page 1 of 11



Test Result:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Kern	LOQ /		Results (mg/kg)		Limit
Test Item	(mg/kg)	No.1	No.2+No.4	No.3	(mg/kg)
Lead(Pb)	2	ND	ND*	ND	500
Conclusion	w. n	Pass	Pass	Pass	Mar wat

Test How	LOQ	THE THE	Results (mg/kg)	me m.	Limit
Test Item	(mg/kg)	No.5	No.6	No.7	(mg/kg)
Lead(Pb)	2 1	ND ND	ND ND	ND	500
Conclusion	mer the m	Pass	Pass	Pass	NULLE MALL

20. 20.	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.8+No.9 +No.10	No.12+No.13	No.14+No.15	Limit (mg/kg)
Lead(Pb)	2,11 2,11	ND*	ND*	ND*	500
Conclusion		Pass	Pass	Pass	ne -ne

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Toot keep the state	tom start start LOQ. If and and and			at let let	
Test Item	(mg/kg)	(mg/kg) No.3		No.11	
Cadmium(Cd)	2	ND	ND	ND ND	
Conclusion	L	Pass	Pass	Pass	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

150



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Res ('	Limit	
	(%)	No3	No.11	(%)
Benzyl butyl phthalate (BBP)	0.005	ND ND	ND	at let le
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND STR	ND ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND ND	ND	
Diisodecyl phthalate (DIDP)	0.01	ND ¹	ND	white white we
Diisononyl phthalate (DINP)	J0.01 J	ND	ND A	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	ND	
Conclusion	.un	Pass	Pass	IE MITE - WITE

Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate DIBP= Diisobutyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)	
<u>.</u>	Annies oubstances		(mg/kg)	No.5	
1	4-Aminobiphenyl	92-67-1	30	ND	
2	Benzidine	92-87-5	<u></u> 30 <u></u>	ND	
3	4-chloro-o-Toluidine	95-69-2	30	ND	
4	2-Naphthylamine	91-59-8	30	Set ND ND	
5	o-Aminoazotoluene	97-56-3	30	ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND STORE ND	
7	p-Chloroaniline	106-47-8	30 🔊	ND	
8	2,4-diaminoanisol	615-05-4	<u>_</u> 30 _	ND	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	
10	3,3'-Dichlorobenzidine	91-94-1	s 30 s	Set ND NIT	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND ND	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	
14	p-cresinin	120-71-8	30	ND ND	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	
16	4,4'-Oxydianiline	101-80-4	30 🗸 -	ND	
17	4,4'-Thiodianiline	139-65-1	30	ND	
18	o-Toluidine	95-53-4	30	THE ND NEW Y	
19	2,4-Toluylendiamine	95-80-7	30	ND	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND ND	
21	o-anisidine	90-04-0	30	ND	
22	4-aminoazobenzene	60-09-3	30	ND	
23	2,4-Xylidin	95-68-1	30	ND	
24	2,6-Xylidin	87-62-7	30	ND ND	
	Conclusion	nn - m	111 2	Pass	

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006

10



5) Formaldehyde

Test Method: With reference to EN717-3:1996, analysis was performed by UV-VIS

Test Item	A STE MITE .	Result	1.00	Client's Limit
	Unit	No.1	LOQ	
Formaldehyde (CH ₂ O)	mg/kg	ND	10	80
Conclusion	+	Pass	white white	wwe

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg =milligram per kilogram=ppm
- LOQ = Limit of quantitation

6) Colour Fastness to Rubbing

Colour Fastness to Rubbing (ISO 105 X12: 2001/Cor 2002; Size of rubbing finger: 16mm diameter.)					
Dry staining	4-5	2-3 1			
Wet staining	4-5	2-3			
Conclusion	Pass	at at att- att att			

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Test Specimen Description:

No.1: Brown wooden shell No.2: Silvery metal rivet No.3: White plastic handle No.4: Silvery metal rivet No.5: Brown-grey fabric No.6: Brown plastic loop of VELCRO No.7: Brown plastic hook of VELCRO No.7: Brown plastic hook of VELCRO No.8: Silvery metal buckle No.9: Silvery metal buckle No.10: Silvery metal pin No.11: White synthetic leather No.12: Silvery metal chain No.13: Silvery metal buckle No.14: Silvery metal buckle No.15: Silvery metal ring 1

Sample photo:






Page 8 of 11


\bigotimes

0

K/ だ/

Photographs of parts tested:








Ŷ






N COMPANY




13



ï





===== End of Report ======